

The following is a list of refrigerants which 380/382 can detectable

ASHRAE Number	Name	Formula
R-12	Dichlorodifluoromethane	CCl ₂ F ₂
R-22	Chlorodifluoromethane	CHClF ₂
R-32	Difluoromethane	CH ₂ F ₂
R-50	Methane	CH ₄
R-113	1,1,2-Trichlorotrifluoroethane	C ₂ F ₃ Cl ₃
R-113a	1,1,1-Trichlorotrifluoroethane	C ₂ F ₃ Cl ₃
R-121	1,1,2,2-Tetrachloro-1-fluoroethane	C ₂ HFCl ₄
R-121a	1,1,1,2-Tetrachloro-2-fluoroethane	C ₂ HFCl ₄
R-122	1,1,2-Trichloro-2,2-difluoroethane	C ₂ HF ₂ Cl ₃
R-122a	1,1,2-Trichloro-1,2-difluoroethane	C ₂ HF ₂ Cl ₃
R-122b	1,1,1-Trichloro-2,2-difluoroethane	C ₂ HF ₂ Cl ₃
R-123	2,2-Dichloro-1,1,1-trifluoroethane	C ₂ HF ₃ Cl ₂
R-123a	1,2-Dichloro-1,1,2-trifluoroethane	C ₂ HF ₃ Cl ₂
R-123b	1,1-Dichloro-1,2,2-trifluoroethane	C ₂ HF ₃ Cl ₂
R-124	2-Chloro-1,1,1,2-tetrafluoroethane	C ₂ HF ₄ Cl
R-124a	1-Chloro-1,1,2,2-tetrafluoroethane	C ₂ HF ₄ Cl
R-125	Pentafluoroethane	C ₂ HF ₅
R-E125	Pentafluorodimethyl ether	C ₂ HF ₅ O
R-130	1,1,2,2-Tetrachloroethane	C ₂ H ₂ Cl ₄
R-130a	1,1,1,2-Tetrachloroethane	C ₂ H ₂ Cl ₄
R-131	1,1,2-Trichloro-2-fluoroethane	C ₂ H ₂ FCl ₃
R-131a	1,1,2-Trichloro-1-fluoroethane	C ₂ H ₂ FCl ₃
R-131b	1,1,1-Trichloro-2-fluoroethane	C ₂ H ₂ FCl ₃
R-132	Dichlorodifluoroethane	C ₂ H ₂ F ₂ Cl ₂
R-132a	1,1-Dichloro-2,2-difluoroethane	C ₂ H ₂ F ₂ Cl ₂
R-132b	1,2-Dichloro-1,1-difluoroethane	C ₂ H ₂ F ₂ Cl ₂
R-132c	1,1-Dichloro-1,2-difluoroethane	C ₂ H ₂ F ₂ Cl ₂
R-132bB2	1,2-Dibromo-1,1-difluoroethane	C ₂ H ₂ Br ₂ F ₂
R-133	1-Chloro-1,2,2-Trifluoroethane	C ₂ H ₂ F ₃ Cl
R-133a	1-Chloro-2,2,2-Trifluoroethane	C ₂ H ₂ F ₃ Cl
R-133b	1-Chloro-1,1,2-Trifluoroethane	C ₂ H ₂ F ₃ Cl
R-134	1,1,2,2-Tetrafluoroethane	C ₂ H ₂ F ₄
R-134a	1,1,1,2-Tetrafluoroethane	C ₂ H ₂ F ₄
R-245fa	1,1,1,3,3-Pentafluoropropane	C ₃ H ₃ F ₅
R-290	Propane	C ₃ H ₈ or CH ₃ CH ₂ CH ₃
R-400	R-12/R-114 (60/40 wt%)	binary blend

R-401A	R-22/R-152a/R-124 (53/13/34)	
R-401B	R-22/R-152a/R-124 (61/11/28)	
R-401C	R-22/R-152a/R-124 (33/15/52)	
R-402A	R-125/R-290/R-22 (60/2/38)	
R-402B	R-125/R-290/R-22 (38/2/60)	
R-403A	R-290/R-22/R-218 (5/75/20)	
R-403B	R-290/R-22/R-218 (5/56/39)	
R-404A	R-125/R-143a/R-134a (44/52/4)	
R-405A	R-22/R-152a/R-142b/R-C318 (45/7/5.5/42.5)	
R-406A	R-22/R-600a/R-142b (55/04/41)	
R-407A	R-32/R-125/R-134a (20/40/40)	
R-407B	R-32/R-125/R-134a (10/70/20)	
R-407C	R-32/R-125/R-134a (23/25/52)	
R-407D	R-32/R-125/R-134a (15/15/70)	
R-407E	R-32/R-125/R-134a (25/15/60)	
R-407F	R-32/125/134a (30±2/30±2/40±2)	
R-408A	R-125/R-143a/R-22 (7/46/47)	
R-409A	R-22/R-124/R-142b (60/25/15)	
R-409B	R-22/R-124/R-142b (65/25/10)	
R-410A	R-32/R-125 (50/50)	
R-410B	R-32/R-125 (45/55)	
R-411A	R-1270/R-22/R-152a (1.5/87.5/11)	
R-411B	R-1270/R-22/R-152a (3/94/3)	
R-412A	R-22/R-218/R-142b (70/5/25)	
R-413A	R-218/R-134a/R-600a (9/88/3)	
R-414A	R-22/R-124/R-600a/R-142b (51/28.5/4.0/16.5)	
R-414B	R-22/R-124/R-600a/R-142b (50/39/1.5/9.5)	
R-415A	R-22/R-152a (82/18)	
R-415B	R-22/R-152a (25/75)	
R-416A	R-134a/R-124/R-600 (59/39.5/1.5)	
R-417A	R-125/R-134a/R-600 (46.6/50.0/3.4)	
R-418A	R-290/R-22/R-152a (1.5/96/2.5)	
R-419A	R-125/R-134a/R-E170 (77/19/4)	
R-420A	R-134a/R-142b (88/12)	
R-421A	R-125/R-134a (58/42)	
R-421B	R-125/R-134a (85/15)	
R-422A	R-125/R-134a/R-600a (85.1/11.5/3.4)	
R-422B	R-125/R-134a/R-600a (55/42/3)	
R-422C	R-125/R-134a/R-600a (82/15/3)	
R-422D	R-125/R-134a/R-600a (65.1/31.5/3.4)	
R-423A	R-134a/R-227ea (52.5/47.5)	
R-424A	R-125/R-134a/R-600a/R-600/R-601a (50.5/47/9/1/6)	
R-425A	R-32/R-134a/R-227ea (18.5/69.5/12)	
R-426A	R-125/R-134a/R-600/R-601a (5.1/93/1.3/6)	
R-427A	R-32/R-125/R-143a/R-134a (15/25/10/50)	

