

Page 1 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

# Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

# **BIKE Cleaner 1 L**

Art.: 6053

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Bicycle cleaner

Chemical product category [PC]:

PC35 - Washing and cleaning products

# **Uses advised against:**

No information available at present.

# 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr

Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

# 1.4 Emergency telephone number

**Emergency information services / official advisory body:** 

---

# Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Eye Irrit. 2 H319-Causes serious eye irritation.

# 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008 Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053



H319-Causes serious eye irritation.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P280-Wear eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

EUH208-Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

# 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substance

# n.a. 3.2 Mixture

O.Z MIXTUIO	
1-methoxy-2-propanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119457435-35-XXXX
Index	603-064-00-3
EINECS, ELINCS, NLP	203-539-1
CAS	107-98-2
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP)	Flam. Liq. 3, H226
	STOT SE 3 H336

Isotridecanol, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	
CAS	69011-36-5
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302
	Eve Dam 1 H318

1,2-benzisothiazol-3(2H)-one	
Registration number (REACH)	
Index	613-088-00-6
EINECS, ELINCS, NLP	220-120-9
CAS	2634-33-5
content %	0,005-<0,05



Page 3 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019 BIKE Cleaner 1 L

Art.: 6053

Classification according	g to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317
		Eye Dam. 1, H318
		Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411

Pyridine-2-thiol 1-oxide, sodium salt	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP	223-296-5
CAS	3811-73-2
content %	0,001-<0,01
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302
	Acute Tox. 4, H312
	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
	Acute Tox. 4, H332
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=10)

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

eyes, reddened

watering eyes

Sensitive individuals:

Allergic reaction possible.

# 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

#### Unsuitable extinguishing media



Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019 BIKE Cleaner 1 L

Art.: 6053

# High volume water jet 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon Oxides of nitrogen Toxic gases

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

# 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Flush residue using copious water.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

# 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Protect from frost.

### 7.3 Specific end use(s)

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**



ദ

Page 5 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008 Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

# 8.1 Control parameters

® Chemical Name	1-methoxy-2-propanol	Content %:1-<2,5				
WEL-TWA: 100 ppm (375 mg/m3)	(WEL, EU) WEL-STEL: 150 ppm (560 mg/m3) (WEL), 150 ppm					
	(568 mg/m3) (EU)					
Monitoring procedures:	MTA/MA-017/A89 (Determination of glycol ethers (1-methoxy-2-	-propanol, 2-				
ethoxyethanol) in air - Charcoal tube method / Gas chromatography) - 1989 - EU						
	<ul> <li>project BC/CEN/ENTR/000/2002-16 card 12-1 (2004)</li> </ul>					
BMGV:	Other information: Sk (WI	EL)				

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	10	mg/l	
	Environment - marine		PNEC	1	mg/l	
	Environment - periodic release		PNEC	100	mg/l	
	Environment - sewage treatment plant		PNEC	100	mg/l	
	Environment - sediment, freshwater		PNEC	52,3	mg/kg dw	
	Environment - sediment, marine		PNEC	5,2	mg/kg dw	
	Environment - soil		PNEC	4,59	mg/kg dw	
Consumer	Human - oral	Long term, systemic effects	DNEL	33	mg/kg bw/day	
Consumer	Human - oral	Long term, systemic effects	DNEL	78	mg/kg bw/day	
Consumer	Human - inhalation	Short term, local effects	DNEL	553,5	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	50,6	mg/kg	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	369	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	18,1	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	43,9	mg/m3	
Workers / employees	Human - oral	Long term, systemic effects	DNEL	3,3	mg/kg	
Workers / employees	Human - oral	Long term, systemic effects	DNEL	183	mg/kg bw/day	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

# 8.2 Exposure controls

# 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

<sup>(8) =</sup> Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

<sup>(8) =</sup> Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

<sup>\*\* =</sup> The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.



(B)

Page 6 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Protective gloves in butyl rubber (EN 374).

Protective nitrile gloves (EN 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

> 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Usual protective working garments

Respiratory protection:

Normally not necessary.

If OES or MEL is exceeded.

Filter A P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state:

Colour:

Colour:

Odour:

Odour threshold:

PH-value:

Melting point/freezing point:

Liquid

Colourless

Characteristic

Not determined

~10 (20°C, DIN 19268)

Not determined

Initial boiling point and boiling range: ~100 °C



Page 7 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

Flash point: >65 °C

Evaporation rate: Not determined

Flammability (solid, gas):

Lower explosive limit:Not determinedUpper explosive limit:Not determinedVapour pressure:23 hPa (20°C)Vapour density (air = 1):Not determined

Density: 1,015 g/cm3 (20°C, DIN 51757)

Bulk density:

Solubility(ies):
Water solubility:
Soluble
Partition coefficient (n-octanol/water):
Auto-ignition temperature:
Not determined
No

Decomposition temperature:

Viscosity:

Not determined

Not determined

Explosive properties: Product is not explosive.

Oxidising properties:

9.2 Other information

Miscibility:

Fat solubility / solvent:

Conductivity:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Solvents content: 2 %

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Not to be expected

# 10.2 Chemical stability

Stable with proper storage and handling.

# 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

# 10.4 Conditions to avoid

See also section 7.

None known

# 10.5 Incompatible materials

See also section 7.

None known

# 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

#### **BIKE Cleaner 1 L** Art.: 6053 Toxicity / effect Endpoint Value Unit Organism Test method Notes Acute toxicity, by oral route: ATE >2000 calculated value mg/kg Acute toxicity, by dermal route: n.d.a. Acute toxicity, by inhalation: n.d.a. Skin corrosion/irritation: n.d.a. Serious eye damage/irritation: n.d.a. Respiratory or skin n.d.a. sensitisation: Germ cell mutagenicity: n.d.a. Carcinogenicity: n.d.a. Reproductive toxicity: n.d.a.



Page 8 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007 Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

Specific target organ toxicity -			n.d.a.
single exposure (STOT-SE):			
Specific target organ toxicity -			n.d.a.
repeated exposure (STOT-RE):			
Aspiration hazard:			n.d.a.
Symptoms:			n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat	Regulation (EC) 440/2008 B.1 (ACUTE ORAL TOXICITY)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	Regulation (EC) 440/2008 B.3 (ACUTE TOXICITY (DERMAL)	
Acute toxicity, by inhalation:	LC0	7	mg/l/6h		OECD 403 (Acute Inhalation Toxicity)	Vapours
Skin corrosion/irritation:				Rabbit	Regulation (EC) 440/2008 B.4 (DERMAL IRRITATION/CORROSI ON)	Not irritant
Serious eye damage/irritation:				Rabbit	Regulation (EC) 440/2008 B.5 (ACUTE EYE IRRITATION/CORROSI ON)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	Regulation (EC) 440/2008 B.6 (SKIN SENSITISATION)	Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Symptoms:						drowsiness, unconsciousness, , headaches, drowsiness, mucous membrane irritation, dizziness, nausea and vomiting.

Isotridecanol, ethoxylated							
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes	
Acute toxicity, by oral route:	LD50	300-2000	mg/kg	Rat			
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat			
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant	
					Dermal		
					Irritation/Corrosion)		
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Eye Dam. 1	
					Irritation/Corrosion)		
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising	
sensitisation:					Sensitisation)		
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative	
					Reverse Mutation Test)		

Endpoint	Value	Unit	Organism	Test method	Notes
LD50	1193	mg/kg	Rat		
LC50	4115	mg/kg	Rat		
LC50	0,25	mg/l/4h	Rat		Aerosol, Does
					not conform with
					EU classification.
	LD50 LC50	LD50 1193 LC50 4115	LD50 1193 mg/kg LC50 4115 mg/kg	LD50         1193         mg/kg         Rat           LC50         4115         mg/kg         Rat	LD50         1193         mg/kg         Rat           LC50         4115         mg/kg         Rat



Page 9 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

Skin corrosion/irritation:		Skin Irrit. 2
Serious eye damage/irritation:		Eye Dam. 1
Respiratory or skin	Guinea pig	Skin Sens. 1
sensitisation:		
Germ cell mutagenicity:		Negative
Symptoms:		vomiting,
		headaches,
		gastrointestinal
		disturbances,
		nausea

Pyridine-2-thiol 1-oxide, sodium salt									
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes			
Acute toxicity, by oral route:	LD50	1208-1500	mg/kg	Rat					
Acute toxicity, by dermal route:	LD50	1800	mg/kg	Rabbit					
Acute toxicity, by inhalation:	LC50	1,08-2,7	mg/l/4h	Rat		Dust, Mist			
Symptoms:						cornea opacity, cramps, fatigue,			
						mucous membrane irritation,			
						trembling			

# **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

BIKE Cleaner 1 L Art.: 6053		,		`	,		
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and degradability:							The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to
12.3. Bioaccumulative							them, at their direct request or at the request of a detergent manufacturer.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT				1			n.d.a.
and vPvB assessment							



Page 10 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007 Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

12.6. Other adverse				n.d.a.
effects:				
Other information:	DOC			DOC-elimination
				degree(complexi
				ng organic
				substance)>=
				80%/28d: Yes

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	6812	mg/l	Leuciscus idus	DIN 38412 T.15	
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
12.4. Mobility in soil:	Koc		0,2-1				High
12.1. Toxicity to fish:	LC50	96h	20800	mg/l	Pimephales promelas		ASTM
12.1. Toxicity to fish:	LC50	96h	>=1000	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.3. Bioaccumulative potential:	BCF		<100			,	
12.1. Toxicity to daphnia:	EC50	48h	>500	mg/l	Daphnia magna		
12.1. Toxicity to algae:	IC50	72h	>1000	mg/l	Pseudokirchneriell		
, ,					a subcapitata		
12.2. Persistence and degradability:		28d	90	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		~-0,49				Not to be expected
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other information:							Does not contai any organically bound halogens which can contribute to the AOX value in waste water.

Isotridecanol, ethoxylated									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to fish:	LC50	96h	1 -< 10	mg/l	Cyprinus caprio	OECD 203 (Fish, Acute Toxicity Test)			
12.1. Toxicity to daphnia:	EC50	48h	1 -< 10	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)			
12.1. Toxicity to algae:	EC50	72h	1 -< 10	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)			



Page 11 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007 Valid from: 18.12.2019

PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

12.2. Persistence and	28d	>60	%	activated sludge	OECD 301 B	Readily
degradability:					(Ready	biodegradable
					Biodegradability -	
					Co2 Evolution	
					Test)	

1,2-benzisothiazol-3(2H) Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
		Time		Unit	Organism	rest method	Notes
12.3. Bioaccumulative ootential:	Log Pow		1,3				
12.2. Persistence and			90	%		OECD 302 B	
degradability:			90	70		(Inherent	
legradability.							
						Biodegradability -	
						Zahn-	
						Wellens/EMPA	
						Test)	
2.3. Bioaccumulative	BCF		6,95			OECD 305	
otential:						(Bioconcentration -	
						Flow-Through	
						Fish Test)	
2.3. Bioaccumulative			0,7			OECD 117	
otential:						(Partition	
						Coefficient (n-	
						octanol/water) -	
						HPLC method)	
2.1. Toxicity to algae:	EC50	72h	0,11	mg/l	Pseudokirchneriell	OECD 201 (Alga,	
, ,					a subcapitata	Growth Inhibition	
						Test)	
2.1. Toxicity to algae:	NOEC/NOEL	72h	0,027	mg/l	Skeletonema	OECD 201 (Alga,	
			-,	1119.1	costatum	Growth Inhibition	
					- Costata	Test)	
2.1. Toxicity to fish:	LC50	96h	2,18	mg/l	Oncorhynchus	OECD 203 (Fish,	
Ziri roziony to nom	2000	0011	2,10	1119/1	mykiss	Acute Toxicity	
					yoo	Test)	
2.1. Toxicity to daphnia:	EC50	48h	2,94	mg/l	Daphnia magna	OECD 202	
2.1. Toxiony to daprima.	2000	1011	2,04	ilig/i	Dapinia magna	(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
2.2. Persistence and					+	OECD 301 B	Readily
egradability:						(Ready	biodegradable
legradability.						Biodegradability -	biodegradable
						Co2 Evolution	
2.2. Persistence and	DOC		>70	%		Test) OECD 303 A	
	DOC		>/0	70			
legradability:						(Simulation Test -	
						Aerobic Sewage	
						Treatment -	
						Activated Sludge	
Tandalika ka harakania.	F000	O.L.	100		and the standard and	Units)	
oxicity to bacteria:	EC20	3h	3,3	mg/l	activated sludge	OECD 209	
						(Activated Sludge,	
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	

Pyridine-2-thiol 1-oxide, sodium salt								
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes	
12.1. Toxicity to daphnia:	EC50	48h	0,022	mg/l	Daphnia magna			
12.3. Bioaccumulative potential:	Log Pow		-3,8					



Page 12 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

12.1. Toxicity to fish:	LC50	96h	0,0066	mg/l	Oncorhynchus mykiss	
12.1. Toxicity to fish:	LC50	96h	3,2	mg/l	Lepomis macrochirus	
12.1. Toxicity to algae:	EC50	72h	0,46	mg/l	Selenastrum capricornutum	
12.2. Persistence and degradability:						Readily biodegradable

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

# **SECTION 14: Transport information**

#### **General statements**

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

#### Transport by sea (IMDG-code)

14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:
n.a.
Marine Pollutant:
n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:n.a.14.5. Environmental hazards:Not applicable

# 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.



Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

2 %

# REGULATION (EC) No 648/2004

5 % or over but less than 15 %

non-ionic surfactants

BENZISOTHIAZOLINONE LAURYLAMINE DIPROPYLENEDIAMINE SODIUM PYRITHIONE

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections:

2, 3, 4, 8, 11, 12, 15

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

C	lassification in accordance with regulation	Evaluation method used
(E	EC) No. 1272/2008 (CLP)	
E	ye Irrit. 2, H319	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Eye Irrit. — Eye irritation

Flam. Liq. — Flammable liquid STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Acute Tox. — Acute toxicity - oral

Eye Dam. — Serious eye damage

Skin Irrit. — Skin irritation

Skin Sens. — Skin sensitization



Page 14 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - dermal Acute Tox. — Acute toxicity - inhalation

# Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the

International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances

and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EC European Community
ECHA European Chemicals Agency
EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLID International Uniform Chemical Information Database

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)



Page 15 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 18.12.2019 / 0008

Replacing version dated / version: 31.07.2019 / 0007

Valid from: 18.12.2019 PDF print date: 18.12.2019

BIKE Cleaner 1 L Art.: 6053

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List

Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International

Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

These statements were made by:

# Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.