

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT Essigreiniger

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent, acidic. Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
e-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone: 07131 90210-20
Internet:	www.sanit-chemie.de	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Fatty alcohol ethoxilate

acetic acid ... %

Sulfonic acids, C13-17-sec-alkane, sodium salts

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Special labelling of certain mixtures

EUH208 Contains Limonene. May produce an allergic reaction.

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 2 of 9

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Fatty alcohol ethoxilate			5 - < 10 %
			02-2119552461-55	
	Acute Tox. 4, Eye Dam. 1; H302 H318			
64-19-7	Acetic acid ... %			5 - < 10 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A; H226 H314			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts			1 - < 5 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			
5989-27-5	Limonene			< 0.1 %
	227-813-5		01-2119529223-47	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1A, Asp. Tox. 1, Aquatic Chronic 1; H226 H315 H317 H304 H410			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, < 5 % anionic surfactants, perfumes (Limonene, Linalool).

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 3 of 9

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water. Foam. Extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO₂). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Keep away from unprotected people. Keep upwind. High slip hazard because of leaking or spilled product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains. Treat the recovered material as prescribed in the section on waste disposal.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7
 Personal protection equipment: see section 8
 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed in a cool, well-ventilated place.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 4 of 9

Cleaning agent, acidic. Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Protect skin by using skin protective cream.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). Thickness of glove material: 0,11 mm penetration time (maximum wearing period): 8h

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full-/half-/quarter-face masks (DIN EN 136/140) ABEK-P1

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state: liquid
 Colour: green
 Odour: characteristic
 pH-Value (at 20 °C): 4,1

Changes in the physical state

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 5 of 9

Melting point:	-10 °C
Initial boiling point and boiling range:	100 °C
Flash point:	not determined
Flammability	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not oxidising.	
Vapour pressure:	not determined
Density:	1,01 g/cm ³
Water solubility:	completely miscible
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Vapour density:	not determined
Evaporation rate:	not determined

9.2. Other information

Solid content:	not determined
----------------	----------------

SECTION 10: Stability and reactivity
10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Oxidizing agents, strong.

10.5. Incompatible materials

Säureempfindliche Materialien, z.B. Kalkstein, Marmor, Zink ...

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information
11.1. Information on toxicological effects

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 6 of 9

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Fatty alcohol ethoxilate				
	oral	LD50 500 - 2000 mg/kg	Rat		
64-19-7	Acetic acid ... %				
	oral	LD50 3310 mg/kg	Rat	GESTIS	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 5050 mg/kg	rat		
	dermal	LD50 12800 mg/kg	rat		
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts				
	oral	LD50 5000 mg/kg	Rat		
5989-27-5	Limonene				
	oral	LD50 4400 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		

Sensitising effects

no danger of sensitization.

Additional information on tests

The mixture is classified as hazardous according to Directive 1999/45/EC.

Further information

Has degreasing effect on the skin.

SECTION 12: Ecological information
12.1. Toxicity

No data available

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Fatty alcohol ethoxilate					
	Acute fish toxicity	LC50 mg/l	1-10	96 h	Leuciscus idus (golden orfe)	
64-19-7	Acetic acid ... %					
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 mg/l	9640	96 h		
	Acute crustacea toxicity	EC50 mg/l	1400	48 h		
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts					
	Acute fish toxicity	LC50	3,6 mg/l	96 h	Poecilia reticulata (Guppy)	
	Acute crustacea toxicity	EC50 mg/l	12,5	48 h	Daphnia magna	
	Fish toxicity	NOEC	1,2 mg/l			
	Acute bacteria toxicity	(95,5 mg/l)				

12.2. Persistence and degradability

Biologically degradable according to the Washing- and Cleaning Agents Act (WRMG German Law).

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts			
	OECD Confirmatory Test	99 %		
	Mineralization (DOC)	87 %	6	

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	Acetic acid ... %	-0,17

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 8 of 9

Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information
Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Acetic acid ... %

2004/42/EC (VOC): 9,046 % (91,365 g/l)

Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information
Changes

This data sheet contains changes from the previous version in section(s): 3,5,8,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SANIT Essigreiniger

Revision date: 16.05.2018

Product code: 5550543

Page 9 of 9

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains Limonene. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)