

Page 1 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

No information available at present.

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC17 - Hydraulic fluids

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC 1 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC 2 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 9a - Widespread use of functional fluid (indoor)

ERC 9b - Widespread use of functional fluid (outdoor)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr

Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification



Page 2 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020

PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Benzene, polypropene derivatives, sulfonated, calcium salts, C14-18 alpha-olefin epoxide, reaction products with boric acid. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3.2 Mixture

| Baseoil - unspecified * | |
|---|-------------------|
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP | |
| CAS | |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Asp. Tox. 1. H304 |

| Distillates (petroleum), hydrotreated light paraffinic | |
|---|-----------------------|
| Registration number (REACH) | 01-2119487077-29-XXXX |
| Index | 649-468-00-3 |
| EINECS, ELINCS, NLP | 265-158-7 |
| CAS | 64742-55-8 |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Asp. Tox. 1, H304 |

| Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | Substance with specific conc. limit(s) acc. to REACh- | | | | |
|---|---|--|--|--|--|
| | registration | | | | |
| Registration number (REACH) | 01-2119493635-27-XXXX | | | | |
| Index | | | | | |
| EINECS, ELINCS, NLP | 224-235-5 | | | | |
| CAS | 4259-15-8 | | | | |
| content % | 1-<2,5 | | | | |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Eye Dam. 1, H318 | | | | |
| | Aquatic Chronic 2, H411 | | | | |

| Calcium branched alkyl phenate sulphide (overbased) | |
|---|----------|
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP | |
| CAS | |
| content % | 0,5-<2,5 |
| | |



Page 3 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

Classification according to Regulation (EC) 1272/2008 (CLP)

Aquatic Chronic 4, H413

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

* The contained mineral oil can be described by one or more of the following numbers:

| EINECS, ELINCS, NLP | Registration number (REACH) | Chemical name |
|---------------------|-----------------------------|---|
| 265-157-1 | 01-2119484627-25-XXXX | Distillates (petroleum), hydrotreated heavy paraffinic |
| 265-169-7 | 01-2119471299-27-XXXX | Distillates (petroleum), solvent-dewaxed heavy paraffinic |
| 265-158-7 | 01-2119487077-29-XXXX | Distillates (petroleum), hydrotreated light paraffinic |
| 265-159-2 | 01-2119480132-48-XXXX | Distillates (petroleum), solvent-dewaxed light paraffinic |

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

Danger of aspiration.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

The following may occur:

Drying of the skin.

Irritation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

CO2

Foam

Dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of phosphorus

Oxides of sulphur

Toxic gases

5.3 Advice for firefighters



Page 4 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

Full protection, if necessary. Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure good ventilation.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid formation of oil mist.

Keep away from sources of ignition - Do not smoke.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name | Oil mist, mineral | | | | Content %: |
|----------------------------------|-------------------|------------------------------------|--------------------|---|------------|
| WEL-TWA: 5 mg/m3 (Mineral oil, 6 | excluding metal | WEL-STEL: | | | |
| working fluids, ACGIH) | | | | | |
| Monitoring procedures: | - | Draeger - Oil Mist 1/a (67 33 031) | | | |
| BMGV: | | | Other information: | - | |
| | | | | | |



Page 5 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

| Distillates (petroleum), hydrotreated light paraffinic | | | | | | | |
|--|--|-----------------------------|------------|-------|-----------------|------|--|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note | |
| | Environment - oral (animal feed) | | PNEC | 9,33 | mg/kg feed | | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,19 | mg/m3 | | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,74 | mg/kg bw/day | | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,97 | mg/kg bw/day | | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 2,7 | mg/m3 | | |

| rea of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------------------|------------|---------|-----------------|------|
| | Environment - freshwater | | PNEC | 0,004 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,0701 | mg/kg | |
| | Environment - marine | | PNEC | 0,0046 | mg/l | |
| | Environment - sediment, marine | | PNEC | 0,00701 | mg/kg | |
| | Environment - soil | | PNEC | 0,0548 | mg/kg | |
| | Environment - air | | PNEC | 7,1 | mg/m3 | |
| | Environment - sewage treatment plant | | PNEC | 3,8 | mg/l | |
| Workers / employees | Human - dermal | Short term, systemic effects | DNEL | 0,14 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Short term, systemic effects | DNEL | 0,42 | mg/m3 | |
| Workers / employees | Human - dermal | Short term, local effects | DNEL | 0,09 | mg/cm2 | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 0,42 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 9,59 | mg/kg | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 0,21 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,09 | mg/cm2 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 0,07 | mg/m3 | |

| Distillates (petroleum), hydrotreated heavy paraffinic | | | | | | | | |
|--|----------------------------|--|------|------|-------|--|--|--|
| Area of application | Exposure route / | exposure route / Effect on health Descriptor Value Unit Note | | | | | | |
| | Environmental | | | | | | | |
| | compartment | | | | | | | |
| | Environment - oral (animal | | PNEC | 9,33 | mg/kg | | | |
| | feed) | | | | | | | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

^{(8) =} Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit

^{(8) =} Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.



Page 6 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Protective nitrile gloves (EN 374).

Minimum layer thickness in mm:

0,4

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

With oil mist formation:

Filter A P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



Page 7 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

Physical state: Liquid Colour: Brown Odour: Characteristic Odour threshold: Not determined pH-value: Not determined Melting point/freezing point: Not determined Initial boiling point and boiling range: Not determined Flash point: 238 °C Evaporation rate: Not determined

Flammability (solid, gas):

n.a. Not determined Lower explosive limit: Upper explosive limit: Not determined Vapour pressure: Not determined Vapour density (air = 1): Not determined Density: 0,86 g/ml

Bulk density: n.a. Solubility(ies): Not determined Water solubility: Insoluble Partition coefficient (n-octanol/water): Not determined

Auto-ignition temperature: Not determined Decomposition temperature: Not determined Viscosity: 88 mm2/s (40°C) 14 mm2/s (100°C) Viscosity: Explosive properties: Product is not explosive.

Oxidising properties:

9.2 Other information

Miscibility: Not determined Fat solubility / solvent: Not determined Conductivity: Not determined Surface tension: Not determined Solvents content: Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

See also Subsection 10.1 to 10.6.

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

See also section 7.

Open flame, ignition sources

10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| TRAKTOROEL STOU SAE 10W-40 20 L | | | | | | |
|---------------------------------|----------|-------|------|----------|-------------|--------|
| Art.: 4722 | | | | | | |
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | | | | | | n.d.a. |



Page 8 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020

PDF print date: 28.05.2020 TRAKTOROEL STOU SAE 10W-40 20 L Art.: 4722

| | n.d.a. |
|--|--------|
| | n.d.a. |
| | n.d.a. |
| | n.d.a. |
| | n.d.a. |
| | |
| | n.d.a. |
| | n.d.a. |
| | n.d.a. |
| | n.d.a. |
| | |
| | n.d.a. |
| | |
| | n.d.a. |
| | n.d.a. |
| | |

| Baseoil - unspecified | | | | | | | |
|-----------------------|----------|-------|------|----------|-------------|-------------------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | |
| Respiratory or skin | | | | | | Not sensitizising | |
| sensitisation: | | | | | | | |
| Aspiration hazard: | | | | | | Yes | |

| Distillates (petroleum), hydrotro | | | 1 | 1 | I = | |
|-----------------------------------|----------|-------|---------|-------------|---------------------------|---------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral | Analogous |
| | | | | | Toxicity) | conclusion |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute | |
| | | | | | Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >5,53 | mg/l/4h | Rat | OECD 403 (Acute | Aerosol, |
| | | | | | Inhalation Toxicity) | Analogous |
| | | | | | | conclusion |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant, |
| | | | | | Dermal ` | Analogous |
| | | | | | Irritation/Corrosion) | conclusion |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Not irritant, |
| | | | | | Irritation/Corrosion) | Analogous |
| | | | | | | conclusion |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin |
| sensitisation: | | | | Ourica pig | Sensitisation) | contact), |
| SCHSIGATION. | | | | | Ochsidadion) | Analogous |
| | | | | | | conclusion |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative, |
| Germ cen mutagemony. | | | | typhimurium | Reverse Mutation Test) | Analogous |
| | | | | typriimunum | Reverse Mutation Test) | conclusion |
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro | |
| Germ cell mutagenicity. | | | | | Mammalian | Negative, |
| | | | | | | Analogous |
| | | | | | Chromosome | conclusion |
| | | | | | Aberration Test) | |
| Carcinogenicity: | | | | Mouse | OECD 451 | Negative, |
| | | | | | (Carcinogenicity Studies) | Analogous |
| | | | | | | conclusion |
| Reproductive toxicity: | | | | Rat | OECD 421 | Negative, |
| | | | | | (Reproduction/Developm | Analogous |
| | | | | | ental Toxicity Screening | conclusion |
| | | | | | Test) | |
| Reproductive toxicity | | | | Rat | OECD 414 (Prenatal | Negative, |
| (Developmental toxicity): | | | | | Developmental Toxicity | Analogous |
| | | | | | Study) | conclusion |
| Aspiration hazard: | | | | | | Yes |
| Specific target organ toxicity - | NOAEL | 125 | mg/kg | Rat | OECD 408 (Repeated | Analogous |
| repeated exposure (STOT-RE), | | | bw/d | | Dose 90-Day Oral | conclusion |
| oral: | | | | | Toxicity Study in | |
| | | | | | Rodents) | |



Page 9 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020 TRAKTOROEL STOU SAE 10W-40 20 L Art.: 4722

| Specific target organ toxicity - repeated exposure (STOT-RE), | NOAEL | 1000 | mg/kg | Rabbit | OECD 410 (Repeated Dose Dermal Toxicity - | Analogous conclusion |
|---|-------|------|-------|--------|---|----------------------|
| dermal: | | | | | 90-Day) | |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|-------|------------|--------------------------|-------------------|
| Acute toxicity, by oral route: | LD50 | >3100 | mg/kg | Rat | OECD 401 (Acute Oral | |
| | | | | | Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute | |
| | | | | | Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant |
| | | | | | Dermal | |
| | | | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Eye Dam. 1 |
| | | | | | Irritation/Corrosion) | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin contact) |
| sensitisation: | | | | | Sensitisation) | |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial | Negative |
| | | | | | Reverse Mutation Test) | |
| Reproductive toxicity: | NOAEL | 30 | mg/kg | Rat | OECD 421 | |
| | | | | | (Reproduction/Developm | |
| | | | | | ental Toxicity Screening | |
| | | | | | Test) | |
| Specific target organ toxicity - | NOEL | 125 | mg/kg | | OECD 407 (Repeated | |
| repeated exposure (STOT-RE), | | | | | Dose 28-Day Oral | |
| oral: | | | | | Toxicity Study in | |
| | | | | | Rodents) | |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| TRAKTOROEL STOU SAE 10W-40 20 L Art.: 4722 | | | | | | | | |
|---|----------|------|-------|------|----------|-------------|------------------------------------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | |
| 12.1. Toxicity to fish: | - | | | | | | n.d.a. | |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. | |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. | |
| 12.2. Persistence and degradability: | | | | | | | Mechanical precipitation possible. | |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. | |
| 12.4. Mobility in soil: | | | | | | | n.d.a. | |
| 12.5. Results of PBT | | | | | | | n.d.a. | |
| and vPvB assessment | | | | | | | | |
| 12.6. Other adverse | | | | | | | n.d.a. | |
| effects: | | | | | | | | |

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------|-----------|------|--------|------|---------------|--------------------|---------------|
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Pimephales | | |
| - | | | | | promelas | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >10000 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | >10 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Scenedesmus | | |
| | | | | | quadricauda | | |
| 12.2. Persistence and | | 28d | 31 | % | | OECD 301 B | Not readily |
| degradability: | | | | | | (Ready | biodegradable |
| | | | | | | Biodegradability - | |
| | | | | | | Co2 Evolution | |
| | | | | | | Test) | |



Page 10 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002 Valid from: 27.05.2020

PDF print date: 28.05.2020 TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|-------|------|----------------------------------|--|--|
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | >1000 | mg/l | Oncorhynchus mykiss | QSAR | |
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |
| 12.1. Toxicity to fish: | NOEC/NOEL | 14d | 1000 | mg/l | Oncorhynchus mykiss | QSÁR | |
| 12.3. Bioaccumulative potential: | | | | | | | Not to be expected |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 10 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 31 | % | | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.3. Bioaccumulative potential: | Log Pow | | >6 | | | . , , | @20°C |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |

| Zinc bis[O,O-bis(2-ethyll | Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | | | | | | | | | |
|--|--|------|-------|------|-------------------------|---|---|--|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 4,4 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | | | | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 4d | 3,2 | mg/l | Oncorhynchus mykiss | | | | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 75 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | | | | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,4 | mg/l | Daphnia magna | | | | | |
| 12.1. Toxicity to algae: | ErC50 | 72h | >240 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | | | | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 3d | 220 | mg/l | Scenedesmus quadricauda | , | | | | |
| 12.2. Persistence and degradability: | COD | 28d | <5 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Not readily biodegradable | | | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance | | | |



Œ

Page 11 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

| Toxicity to bacteria: | EC50 | 16h | 380 | mg/l | Pseudomonas putida | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
|-----------------------|------|-----|-----|------|-----------------------|--|---|
| Other information: | AOX | | 0 | % | | | Does not contain any organically bound halogens which can contribute to the AOX value in waste water. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Classification code:n.a.LQ:n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):n.a.14.4. Packing group:n.a.Marine Pollutant:n.a

14.5. Environmental hazards:

Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

n.a.

14.4. Packing group:

n.a.

14.5. Environmental hazards: Not applicable



Page 12 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003 Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

0,14 %

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

3, 11, 12

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard Eye Dam. — Serious eye damage

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Any abbreviations and acronyms used in this document:

according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BSEF The International Bromine Council

body weight bw

CAS Chemical Abstracts Service

Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances CLP and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level DNEL Derived No Effect Level

dw dry weight

for example (abbreviation of Latin 'exempli gratia'), for instance e.g.



Page 13 of 13

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 27.05.2020 / 0003

Replacing version dated / version: 29.06.2018 / 0002

Valid from: 27.05.2020 PDF print date: 28.05.2020

TRAKTOROEL STOU SAE 10W-40 20 L

Art.: 4722

European Community ECHA European Chemicals Agency European Economic Community FFC

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

ΕN **European Norms**

EPA United States Environmental Protection Agency (United States of America)

et cetera etc. EU **European Union**

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number general aen.

Globally Harmonized System of Classification and Labelling of Chemicals GHS

GWP Global warming potential

IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

including, inclusive incl.

IUCLID International Uniform Chemical Information Database

LQ **Limited Quantities**

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicable not available n.av. not checked n.c. no data available n.d.a.

OECD Organisation for Economic Co-operation and Development

org. organic

PBT persistent, bioaccumulative and toxic

PF Polyethylene

PNEC Predicted No Effect Concentration

parts per million ppm **PVC** Polyvinylchloride

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration,

Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

These statements were made by

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung